

TROAX



STORAGE DESIGN LIMITED

COMMERCIAL PARTITIONING

INDUSTRIAL AND
INTERIOR APPLICATIONS

PROTECTING PEOPLE, PROPERTY, AND PROCESSES.

STORAGE DESIGN LIMITED
Primrose Hill
Cowbridge
South Wales
CF71 7DU
Tel: 01446 772614
email: info@storage-design.ltd.uk
web: www.storage-design.ltd.uk

CONTENTS

03	COMMERCIAL PARTITIONING
04	OUR SERVICES
06	ENHANCE YOUR WORKSPACE
08	TITAN - DOUBLE SKIN STEEL
10	ELAN - DOUBLE SKIN STEEL
12	SIGMA - SINGLE SKIN STEEL
14	BASTION - SINGLE SKIN STEEL
16	DEMOUNTABILITY, MULTI-TIERING
18	HINGED DOORS
19	SLIDING DOORS
20	ROLLER SHUTTERS
21	CEILINGS
22	ACCESSORIES
24	STANDARD AND OTHER MESH OPTIONS
26	FIRE RATING & ACOUSTICS
27	VETRO - FULLY GLAZED
28	POWDER COATING - COLOURS
30	NBS NATIONAL BIM LIBRARY
31	TROAX WORLDWIDE

Troax are global developers and manufacturers of steel mesh panels for Machine Guarding, Warehouse Partitioning, Property Protection and Commercial Partitioning. This brochure presents our solutions for the market segment of Commercial Partitioning. Our business concept is to develop innovative steel partitioning and mesh panel solutions to protect people, property and processes, as well as to ensure a secure and fully utilised working environment. Read more about our systems at www.troax.com/gb

COMMERCIAL PARTITIONING

For 65 years, we have been developing innovative commercial partitioning solutions for industrial, interior and office applications. Today we are found all over the world – protecting people, property and processes.

OUR SERVICES.

TROAX IS IN THE BUSINESS OF SAFETY AND SECURITY. OUR PANEL SYSTEMS OFFER THE SAFEST AND MOST FLEXIBLE SOLUTIONS ON THE MARKET.

Whatever your needs may be, we will create a bespoke solution. Our ranges are marketed in four segments: Commercial Partitioning, Machine Guarding, Warehouse Partitioning and Property Protection.

ROOM FOR NEW IDEAS

Within the segment of Commercial Partitioning we offer five systems: Titan, Elan, Sigma, Bastion, and Vetro, along with a variety of ceilings and accessories. These products can be combined in several ways. Together, we can create a solution to suit your needs.

SURVEYS ON SITE


One of our technical salesmen will personally manage your enquiry and – if needed – carry out a detailed site survey on location. Our technical sales team are passionate at creating your perfect workspace solution. Our skilled assembly team can take care of the installation of your system while your contact at Troax will follow up on your project.

PLANNING AND DESIGN

Our systems are adapted and designed to suit your specific needs, with everything intricately planned down to the smallest detail. With several security levels and a variety of different locks, door designs and glazing options, our ranges can be built to suit all kinds of applications.

INSTALL IS PART OF OUR OFFER

Troax offer help with assembly and installation on all our systems. Should you choose to install the products yourself, each Troax delivery includes clear user instructions and assembly guidelines, which make it easy to assemble our system on site.



ISO 9001 Quality Management System



ISO 14001 Environmental Management System



Royal Institute of British Architects



National Building Specification, Building Information Modelling



Storage Equipment Manufacturers Association



RIBA - Product Selector



Finishes and Interiors Sector



National Building Specification Plus

ENHANCE YOUR WORKSPACE.



1 TITAN
Titan is a high-quality double skin steel partitioning system ideal for cleanroom and commercial applications.




2 ELAN
Elan is a high-quality double skin steel partitioning system for office, warehouse and factory applications.



3 SIGMA
Sigma is a single skin partitioning system ideal for factory and warehouse environments. Wide range of mesh sizes available.



4 BASTION
Bastion is a single skin partitioning system ideal for cost effective enclosures of superior strength and stability. Wide range of mesh sizes available.



Troax offer complete solutions to protect your personnel and production process. Our Commercial Partitioning products will maximize your workspace potential.

Troax partitioning ranges enable you to quickly and efficiently divide large-scale spaces, segregate secure storage areas, and create both industrial and well-designed offices, cleanrooms, and work areas. With a broad selection of door and ceiling options to accompany our partitioning ranges, we offer a real "one stop" solution for all your partitioning needs.



5 VETRO
Vetro is a fully glazed partitioning system for open and aesthetically pleasing workspaces.



6 ROLLER SHUTTERS
Our roller shutter doors offer a secure and efficient means of entry and exit.



7 STANDARD DOORS
Our developed and tested door ranges offer safe and reliable access points.



8 SLIDING DOORS
Where space is at a premium our sliding doors offer a truly elegant solution.



9 TITAN AND ELAN DOORS
The refined Titan and Elan doors offered by Troax are renowned for durability and good design.



10 CEILINGS
Ceiling and roof options to perfectly accompany our partitioning ranges.

TITAN DOUBLE SKIN STEEL.

HIGH QUALITY AND HYGIENIC

Titan has been designed specifically for use in cleanroom environments, where clean processes are undertaken. Its two-line junction keeps dust and particle leakage to a minimum, and its powder coated finish is an ideal surface for clean environments where a degree of cleanliness is required.

Through smart engineering and careful manufacturing, using the correct air handling and HEPA filters makes the Titan panel system a popular solution for mid-range cleanrooms. (ISO 14644-1 class 5,6,7 & 8).

- » Joints can be silicone sealed to stop air flow and further reduce particle leakage.
- » Completely demountable, enabling one panel to be removed without having to dismantle the whole enclosure.
- » Flush glazing eliminates ledges and improves aesthetics.
- » Toughened glass with polished edges lay perfectly flush with the steel panels and doors, allowing for a modern look.
- » Integrated blinds are available, which are controlled with a portable dial - keeping the panel face free from unnecessary clutter.

AG

SGS

AS

TITAN PANELS

AS (all steel) and SGS (steel-glass-steel) panels all come in the standard sizes below.


3000 mm
2695 mm
2390 mm




300 mm
500 mm
600 mm
900 mm
1000 mm

AG (all glass) panels come in a standard glass size of 500 mm x 1600 mm, and a steel frame of the desired height and width.

1600 mm



500 mm



ELAN DOUBLE SKIN STEEL.

APPEARANCE AND SAFETY

Elan is a high-quality double skin steel partitioning system which can be used in a wide range of applications where appearance, aesthetics and safety are important. Elan's aesthetic and physical properties make it very appealing for a multitude of working environments, such as factory partitioning, museum display areas, and laboratory offices. Elan is a cost-effective answer to all your space management problems.





This system is available in both non-fire and fire rated versions. Please contact us to discuss your requirements.

- » Integrated blinds are available, which are controlled with a portable dial - keeping the panel face free from unnecessary clutter.
- » Noise reduction capabilities can also be offered with potential noise reduction of 28 dB - 32 dB.
- » Completely demountable, enabling one panel to be removed without having to dismantle the whole enclosure.
- » Panels can be supplied in a fire-rated version to BS476: Part 22:1987.
- » **See page 22 for fire rating and acoustic enhancement capabilities.**

ELAN PANELS

AS (all steel), SG (steel glass), GSG (glass-steel-glass) and SGS (steel-glass-steel) panels all come in the standard sizes below. A width of 1000 mm is available if the height is below 2438 mm.

AG (all glass) panels have less height options, however have the same width availability.

3657 mm		2743 mm
3048 mm		2438 mm
2743 mm		
2438 mm		
300 mm	300 mm	
400 mm	400 mm	
500 mm	500 mm	
600 mm	600 mm	
700 mm	700 mm	
800 mm	800 mm	
900 mm	900 mm	
1000 mm	1000 mm	



SIGMA SINGLE SKIN STEEL.

MODULAR AND FLEXIBLE

The Sigma system is ideal for factory or warehouse environments. It is perfect for enclosing working areas where appearance is important, but a double skin system is not necessary, making our Sigma range a very popular economic solution.

It offers a lightweight yet durable solution for your workplace. Applications include perimeter guarding for heavy-duty machinery, robots, conveyors, and other automated processes.

SIGMA PANELS

Sigma is available in six different configurations: AS (all steel), FM (full mesh), SG (steel glass), SMS (steel-mesh-steel), SGS (steel-glass-steel) and SM (steel mesh).



All Sigma panels come in the standard sizes below.

3657 mm	
3048 mm	
2743 mm	
2438 mm	
300 mm	
400 mm	
500 mm	
600 mm	
700 mm	
800 mm	
900 mm	
1000 mm	

SIGMA MESH OPTIONS

Our standard mesh is 50.8 mm (2 inch), however other mesh options such as 25.4 mm (1 inch) and 12.7 mm (1/2 inch) are also available upon request.

See Page 26 for all mesh configurations and aperture sizes.



» Easy access for maintenance.

» Can be combined with our Elan range, providing flexible working environments.

» In a multi-tiered application, it can be used as a factory or warehouse division.

» Completely demountable, enabling one panel to be removed without having to dismantle the whole enclosure.

BASTION SINGLE SKIN STEEL.

DURABLE AND HEAVY-DUTY

Bastion is an economic heavy-duty angle-framed single skin partitioning system with superb strength and adaptability. Its robust angle frame makes it an ideal choice for creating a highly secure perimeter. Bastion is the answer when it comes to creating a secure environment.


The welded combination of our steel and mesh sheets make it very resistant to attack. Bastion is one of our most popular ranges, providing cost-effective security.

BASTION PANELS

Bastion is available in six different configurations: AS (all steel), FM (full mesh), SG (steel glass), SMS (steel-mesh-steel), SGS (steel-glass-steel) and SM (steel mesh).

Where the panel is required with mesh, various mesh options are available.

All Bastion panels come in the standard sizes below.



- 300 mm
- 400 mm
- 500 mm
- 600 mm
- 700 mm
- 800 mm
- 900 mm
- 1000 mm
- 1200 mm

AS

FM

SG

SMS

SGS

SM

Door

Expanded Metal

Standard Mesh

» Rapid installation/ adaptability and relocation.

» Can be tailored to fit into existing building layouts, blending in seamlessly with the working environment.

» Great structural strength, bolted straight into the floor.

» Prevents enclosed areas from intrusion, thus providing a high level of security.

» Can be multi-tiered to create a truly demountable system that is ideal for any dynamic workspace.

See Page 26 for all mesh configurations and aperture sizes.

DEMOUNTABILITY, MULTI-TIERING.

Our partitioning ranges are uniquely designed with aesthetics, security, function and adaptability as our main focus. All of our partitioning ranges have the ability to be completely demountable, enabling one or more panels to be removed and/or replaced without having to dismantle the whole enclosure.

Multi-tiering can also be achieved as our partitioning systems are modular, meaning they have joining functions on all 4 edges of the panels, as well as 3 way and 4 way splitting systems, allowing you to create any enclosure you require.



INSTALL IS PART OF OUR OFFER

Troax offer help with assembly and installation on all our systems. Should you choose to install the products yourself, each Troax delivery includes clear user instructions and assembly guidelines, which make it easy to assemble our system on site. Our smart modular designs arrive pre-finished, which enables a fast, clean install and is easily demountable for relocation if required.



DURABLE AND VERSATILE

Every installation is unique and created to meet your specific demands. Our systems are extremely durable and can withstand the most demanding applications. They are versatile and can easily be combined with each other. Troax are committed to being as environmentally friendly as possible in all parts of production. Our panel systems are also 100% recyclable.



HINGED DOORS.

THROUGH YEARS OF EXPERIENCE, TROAX DOORS HAVE BEEN DESIGNED AND DEVELOPED TO ACHIEVE A SECURE AND DURABLE DOOR SUITABLE FOR ANY WORK ENVIRONMENT. EACH RANGE HAS THEIR OWN VARIETY OF DOORS WHICH INTEGRATE WITH THEIR RESPECTIVE SYSTEM TO CREATE AN AESTHETIC, SAFE AND RELIABLE ACCESS POINT.

TITAN DOOR

To match the cleanroom function of the Titan system, the Titan Door is enhanced to suit this feature. The door is completely flush minimizing any dust traps and comes with a door closer and a kickplate as standard features, offering further protection in daily use. A two-tone option is available whereby the door is a different colour on either side.



BASTION DOOR

The Bastion system has its own range of doors to match the enclosure. Fully equipped with high quality door handles and/or locks and a door closer, it provides a safe and durable point of entry or exit. Door and vision panel options include standard mesh, expanded metal, perforated sheets, woven mesh or glass.



ELAN DOOR

The Elan Door compliments the Elan system perfectly, offering the same high quality and safety standard expected from Troax products. Various shapes and sizes of vision panel or none are available. A two-tone option is also available whereby the door is a different colour on either side.



SIGMA DOOR


The Sigma door comes fully equipped with high quality door handles and/or locks and a door closer. Door and vision panel options include standard mesh, perforated sheets or glass.



SLIDING DOORS.

TROAX OFFER HIGH PERFORMANCE AND SMART ACCESS POINTS IN THE FORM OF SLIDING DOORS. SLIDING DOORS PROVIDE AN AESTHETIC SOLUTION FOR AREAS WHERE SPACE IS AT A PREMIUM.

- » Single or bi-parting sliding doors.
- » Available in Bastion, Sigma and Elan.
- » Made to accommodate most door sizes.
- » Unobstructed door openings.
- » Large door options suitable for forklifts.
- » Full steel, mesh or glazed.
- » Integrated and smart locks.



ROLLER SHUTTERS.

TROAX PROVIDE ROLLER SHUTTERS AS ALTERNATIVE ACCESS POINTS. WE CAN HELP YOU SELECT THE CORRECT TYPE OF PRODUCT TO SUIT YOUR REQUIREMENTS. OUR ROLLER SHUTTERS ARE MADE TO SUIT YOUR OPENING SIZES, APPLICATION, SECURITY RISK, FIRE RISK AND BUDGET.

We offer roller shutters for a wide range of applications such as warehouse, industrial, commercial, factory, retail and security. We can also provide fire rated roller shutters.

Manufactured from galvanised steel or extruded aluminium, all our roller shutters are tested and certified to British and European safety standards and are CE marked.

We have a wide range of roller shutters, from high speed roller shutters and transparent, perforated or solid roller shutters to manual garage roller shutters, available and designed to fit both your needs and your budget. Please contact us about your roller shutter requirements.



CEILING.

FIND THE PERFECT WAY TO ENCLOSE YOUR PARTITIONING. TROAX OFFER A VARIETY OF CEILING TYPES TO SUIT ALL APPLICATIONS.

TRO-GRID (SUSPENDED CEILING)

- » Popular in warehouses and factories.
- » Compatible with all our ranges.
- » Variety of ceiling panels and styles available.
- » Spans up to 7000 mm wide.
- » Other spans available upon request.
- » Standard sizes of tiles are 600 x 600 mm and 1200 x 600 mm.
- » One-hour fire rating available upon request.



TRO-SPAN (DOUBLE SKIN STEEL CEILING)

- » Spans up to 7000 mm.
- » Other spans available upon request.
- » Modular design for quick install.
- » Compatible with all our ranges.
- » One-line junction system.
- » Different panel styles available such as perforated steel for enhanced acoustic capabilities.
- » Merge seamlessly with Elan and Titan partitioning.
- » Lights can be implemented to match the ceiling style.
- » Multiple thickness available: 100 mm, 150 mm and 200 mm.
- » Variety of fillings available: Mineral Wall, PIR (polyisocyanurate) and PP (Polystyrene).



ACCESSORIES COMPLETE THE PICTURE.


22

COMMERCIAL PARTITIONING TROAX



RECESSED SOCKETS

Our recessed sockets provide a sleek finish to your partitioning electrical and data needs, having an almost flush surface allows for an aesthetic yet functional appearance.



HATCHES

Hatches offer access points which can be integrated into the partitioning seamlessly, giving it a sleek and professional look. They are manufactured to the same standard as their respective partitioning system.




GLAZING

Our Titan glazed panels consist of flush glazed toughened glass with polished edges, allowing for a modern look. We provide double and single glazing with 6.4 laminated glass for all our other ranges.




VARIOUS LOCK OPTIONS

Our doors are designed to fit a wide variety of different locks and handles, ranging from 3 lever deadlocks, bathroom locks and sash locks. Contact us for any of your door lock requirements.



INTEGRAL WIREWAYS

The design of our partitioning systems allows for wireways in between panels. This allows for a sleek and mess free solution for your wiring needs.



PENETRATIONS

If there is pipework throughout your partitioning, we can accommodate for any shape and size of penetration. We also provide fire stopping should the project be fire rated.

TROAX OFFER A MULTITUDE OF HIGH-QUALITY ACCESSORIES TO FULLY FINISH AND COMPLIMENT YOUR INSTALLATION. WE ARE COMMITTED TO MAKING THE PERFECT SOLUTIONS FOR YOUR WORKSPACES. TO FACILITATE THIS, BESPOKE ACCESSORIES ARE AVAILABLE UPON REQUEST.



STANDARD AND OTHER MESH OPTIONS.


WE OFFER PERFORATED SHEETS, WOVEN MESH AND EXPANDED METAL IN PLACE OF STANDARD MESH, FULFILLING ALL YOUR MESH NEEDS.

Our single skin systems Sigma and Bastion are available in mesh panel configurations. Our standard mesh is a 50.8 mm (2 inch) aperture mesh panel welded to the frame. Another popular mesh size is 25.4 mm (1 inch). 12.7 mm (1/2 inch) mesh is also very popular.

Other mesh sizes are available upon request. Please contact us for further details.

Our welded wire mesh is a 3 mm thick metal wire screen that is made from various alloys including steel, stainless steel, brass and copper. Grids of parallel longitudinal wires are welded to cross transverse wires at the required spacing, using electric fusion. The machines that are used to produce the mesh have precise dimensional control.


Have a look at our popular mesh sizes below, all to scale.



EXPANDED METAL

An expanded metal sheet is made by first creating multiple slits in the sheet, and then stretching the sheet. The stretching creates a unique diamond pattern opening with one of the strands protruding at a slight angle. The process produces an extremely strong and efficient mesh panel.

A large range of expanded mesh types are available. They are available to fit any size panel you require and will provide an aesthetically pleasing, secure and safe mesh panel.




PERFORATED SHEETS

Perforated sheets are made from sheet steel that has holes (or other designs) punched out of it. These holes can be straight rows or staggered to increase the amount of the openings, depending on your aesthetic requirements.

They are available to fit any size panel you require and will provide an aesthetically pleasing, secure and safe mesh panel.


From lightweight decorative elements to load-bearing structural components, perforated metal offers unique opportunities to combine strength, functionality and beauty.



WOVEN MESH

Woven wire mesh is made by weaving longitudinal and transverse wires together. The interwoven structure produces a sturdy and stable fence application.

They are available to fit any size panel you require and will provide an aesthetically pleasing, secure and safe mesh panel.



FIRE RATING & ACOUSTICS.

26

COMMERCIAL PARTITIONING TROAX



IF FIRE SAFETY AND SOUND PROOFING ARE REQUIRED, OUR MARKET LEADING ELAN DOUBLE SKIN PARTITIONING SYSTEM IS AVAILABLE BOTH FIRE-RATED AND ACOUSTICALLY ENHANCED.

Our fire rated panels are infilled with mineral wool and tested to BS 476: Part 22:1987 and have fire ratings of up to 1 hour, depending on panel configuration.

We have also achieved a Class O specification and have been tested for flammability to BS 476: Parts 6 & 7.

Please contact us about your fire rating/ acoustic partitioning requirements.

The mineral wool also provides noise reduction capabilities of up to 32dB (tested to BS 5821:Part 1:1984).

TROAX Sound Rating

The testing was completed at AIRO (Acoustical Investigation and Research Organisation Ltd). The tests used rockwool 60kg/m³ and involved the panels listed below being fixed.

Sound Reduction of a Solid Partition			
Frequency (Hz)	Sound Reduction Index (dB)	Frequency (Hz)	Sound Reduction Index (dB)
125	24.4	800	29.5
150	25.1	1000	41.0
200	25.4	1250	44.5
250	25.4	1600	43.0
315	25.4	2000	45.0
400	25.0	2500	45.0
500	25.0	3150	45.0

The Weighted Sound Reduction Index, R_w = 34 dB (BS 5821:Part 1:1984)

Sound Reduction of a Double Glazed Partition			
Frequency (Hz)	Sound Reduction Index (dB)	Frequency (Hz)	Sound Reduction Index (dB)
125	13.7	800	35.5
150	15.1	1000	40.0
200	21.7	1250	42.5
250	25.4	1600	44.5
315	25.4	2000	44.1
400	25.0	2500	45.0
500	25.0	3150	45.0

The weighted sound reduction index R_w = 38 dB (BS 5821:Part 1:1984)
Average sound reduction index [100 to 3150Hz] = 35.4 dB

Sound Reduction of a Single Glazed Partition			
Frequency (Hz)	Sound Reduction Index (dB)	Frequency (Hz)	Sound Reduction Index (dB)
125	11.7	800	29.5
150	14.0	1000	37.4
200	21.0	1250	38.5
250	25.0	1600	39.5
315	25.0	2000	39.5
400	25.0	2500	39.5
500	25.4	3150	35.7

The weighted sound reduction index R_w = 36 dB (BS 5821:Part 1:1984)

All the panels tested in accordance with BS 2750:Part 3:1980 and BS 5821:Part 1:1984

TROAX Fire Rating

For information - details on the fire rating capabilities which are not in our literature

All panels/doors infilled with mineral wool, glazing needs to be wired or alternative fire rated type.

All tests performed in accordance with or tested to **BS 476: Part 22:1987.**

Our powder coating has achieved a Class O classification and has been tested for flammability to and complies with **BS 476: Parts 6 & 7.**

The table below shows values in minutes pertaining to integrity.

Product	Fire Rating
Steel / Glass / Steel Panel (single glazed)	30 minutes
Steel / Glass / Steel Panel (double glazed)	60 minutes
All Steel Panel (solid)	60 minutes
Single Door (solid or glazed)	60 minutes
Double Door (solid or glazed)	60 minutes
Tro-Span Ceiling	60 minutes

VETRO FULLY GLAZED.

ELEGANT AND OPEN

Vetro is a range of fully glazed partitioning products for open and aesthetically pleasing workspaces.

Available in either single or double-glazed panels and doors, both with and without customization, Vetro provides an ideal solution for modern office interiors.



27

COMMERCIAL PARTITIONING TROAX



The aesthetic properties of Vetro make work environments feel stylish and fluid. It offers attractive physical properties such as an acoustic rating and clear aesthetic views. It provides offices the privacy they require.

Single glazed panels have an acoustic rating of 39 dB whilst double glazed panels are 47 dB.

Specialist artwork and logos can be printed onto the glass for your branding requirements.

SHOW YOUR TRUE COLOURS.

COLOUR AND FINISH YOUR PRODUCTS TO SUIT YOUR WORKSPACES.

28 COMMERCIAL PARTITIONING TROAX

STANDARD COLOURS

- RAL 9006 *
- BS.08.B.17
- BS.00.A.05
- RAL 5010
- RAL 9010
- RAL 7037
- RAL 9016

We always prepare our products to the highest of quality. All panels are supplied with a TGIC and lead-free powder coat to an average thickness of 70 microns.

Non-standard and corporate colours are also available upon request, as are anti-static/electro dissipative and antimicrobial powder coatings.

The Bastion system can also be offered in a Hot-Dipped Galvanised finish.

Panels are prepared and powder coated in our UK based factory.

* Available at extra cost.



NBS NATIONAL BIM LIBRARY.

THE FASTEST GROWING LIBRARY OF DIGITAL PRODUCT INFORMATION.

This award-winning library is quickly becoming the future of the construction industry. Troax are proud members of the NBS National BIM library, and our 3D products can be downloaded with all their relating specifications for anyone to see.





The RIBA CPC Providers Network is vital in today's industry for creating the all-important relationship between manufacturers and architects.



NBS Plus is a library of manufacturers' technical product information. This information is stored in a standard format and can be found in the relevant clauses within the NBS Specification software. They can be added to any specification at the click of a button.



The RIBA Product Selector offers customers access to product catalogues, technical documents, design files, case studies and company contact details.



LOCAL & GLOBAL PRESENCE.

TROAX ARE REPRESENTED IN MORE THAN 40 COUNTRIES AND HAVE 24 SALES COMPANIES OF OUR OWN. WE AIM TO STRENGTHEN OUR POSITION WORLDWIDE AND EXPAND OUR BUSINESS IN EACH CONTINENT.



At Troax, we meet your needs through local sales offices, backed up by daily deliveries from the world's largest warehouse for mesh panels, Troax Hillerstorp, Sweden.

STRONG MARKET SEGMENTS

Our systems are marketed in four segments: Commercial Partitioning, Machine Guarding, Warehouse Partitioning and Property Protection.

1. COMMERCIAL PARTITIONING

We are continuously testing and improving our ranges of commercial partitioning with the aim that every work environment should be as enhanced and as safe as possible.

Through years of experience and intelligent engineering, this goal is becoming more possible than ever.

2. MACHINE GUARDING

Today's modern industry - with its advanced processes - places significant demands on safety. In particular, there is a great need for controlled access for authorised personnel. Our mesh panels are based on a carefully developed modular system that also includes special adaptations.

3. WAREHOUSE PARTITIONING

Troax can meet all requirements for storage and security. We are suppliers to all types of industry –

from traditional manufacturers that require large-scale flows and volumes throughout their factories, to facilities with high-bay storage and retail storage. We can meet all your requirements and we offer complete solutions.

4. PROPERTY PROTECTION

Whether it is a new development or the renovation of an existing installation, we are convinced that you will find our products easy to work with. Your unique needs and our creativity have contributed to our constant product development, giving rise to our motto: "Secure storage must be simple".

COMMERCIAL PARTITIONING

INDUSTRIAL AND INTERIOR APPLICATIONS



STORAGE DESIGN LIMITED

STORAGE DESIGN LIMITED

Primrose Hill

Cowbridge

South Wales

CF71 7DU

Tel: 01446 772614

email: info@storage-design.ltd.uk

web: www.storage-design.ltd.uk